



OBJS2.E163090

System Components, Electrical Insulation - Component

Page Bottom

System Components, Electrical Insulation - Component

See General Information for System Components, Electrical Insulation - Component

3M COMPANY

E163090

CORROSION PROTECTION PRODUCTS DEPT
3M AUSTIN CENTER
6801 RIVER PLACE BLVD
AUSTIN, TX 78726 USA

System Component	System Dsg	System Temp Class	System Max V
Resin Nos. 260, 263, 5341, 5388, 5555	3M120-1	120(E)	600
Resin Nos. 260, 263, 5341, 5388, 5555	3M180-1	180(H)	600
Resin Nos. 260, 263, 5341, 5388, 5555	3M155-1	155(F)	600
Resin Nos. 260, 263, 5341, 5388, 5555	3M130-1	130(B)	600
Resin Nos. 5230, 5230N	3M155-2	155(F)	600

Marking: Company name and system component designation.
Last Updated on 2002-03-07

[Questions?](#)

[Notice of Disclaimer](#)

[Page Top](#)

Copyright © 2007 Underwriters Laboratories Inc.®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2007 Underwriters Laboratories Inc.®"



QMFZ2.E35075
Plastics - Component

Page Bottom

Plastics - Component

See General Information for Plastics - Component

3M COMPANY

3M AUSTIN CENTER
6801 RIVER PLACE BLVD
AUSTIN, TX 78726 USA

E35075

Table with columns: Material Dsg, Color, Min. (mm), Flame Class, H (W, I), H (A, I), RTI (Elec, Mech, Imp, Str), H (V, T, R), D (4, 9, 5), C (T, I). Rows include Epoxy Casting Compound (No. 5237 (a)), Epoxy Powder Coating (No. 260, No. 260-CG, No. 5230N), and Polyethylene Terephthalate (PET) film (Dysular).

(a) - Liquid component Scotchcast Brand Resin N0. 5237 Part A, flash point (closed cup) 440 F (227 C). Liquid component Scotchcast Brand Resin No. 5237 Part B, flash point (closed cup) 260 F (127 C).

Marking: Company name and material designation on container, wrapper or finished part.

Last Updated on 2004-12-16

Questions?

Notice of Disclaimer

Page Top

manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2007 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

